

ID	Location	Address	Details	
А	97m SE	NO 3 VACANT SITE, COX LANE, GREAT BARTON, SUFFOLK.	Effluent Type: UNSPECIFIED Permit Number: PR1LFU296 Permit Version: 1 Receiving Water: Land	Status: PRE NRA LEGISLATION WHERE ISSUE DATE 01-SEP-89 (HISTORIC ONLY) Issue date: 07/09/1984 Effective Date: 07/09/1984 Revocation Date: 01/10/1996

This data is sourced from the Environment Agency and Natural Resources Wales.

4.14 Pollutant release to surface waters (Red List)

Records within 500m	0
Discharges of specified substances under the Environmental Protection (Prescribed Processes and Su Regulations 1991.	ıbstances)

This data is sourced from the Environment Agency and Natural Resources Wales.

4.15 Pollutant release to public sewer

Records within 500m

Discharges of Special Category Effluents to the public sewer.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.16 List 1 Dangerous Substances

Records within 500m

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.17 List 2 Dangerous Substances

Records within 500m

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

Features are displayed on the Current industrial land use map on page 24

ID	Location	Name	Status	Receiving Water	Authorised Substances
В	80m S	Tcs Great Barton	Not Active	Na	рН





0

0



ID	Location	Name	Status	Receiving Water	Authorised Substances
4	305m SW	Total Convenience Store Great Britain	Not Active	Na	рН

This data is sourced from the Environment Agency and Natural Resources Wales.

4.18 Pollution Incidents (EA/NRW)

Records within 500m

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

This data is sourced from the Environment Agency and Natural Resources Wales.

4.19 Pollution inventory substances

Records within 500m

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.20 Pollution inventory waste transfers

Records within 500m

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.

4.21 Pollution inventory radioactive waste

Records within 500m

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.





0


0

0



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

5 Hydrogeology - Superficial aquifer



5.1 Superficial aquifer

Records within 500m

Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on page 30

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
2	On site	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non- aquifer in different locations due to the variable characteristics of the rock type





ID	Location	Designation	Description
3	258m SE	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
4	265m E	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers
5	461m NE	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type
6	466m SE	Secondary Undifferentiated	Assigned where it is not possible to attribute either category A or B to a rock type. In general these layers have previously been designated as both minor and non-aquifer in different locations due to the variable characteristics of the rock type

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

Bedrock aquifer



5.2 Bedrock aquifer

Records within 500m

Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on page 32

ID	Location	Designation	Description
1	On site	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers
2	265m E	Principal	Geology of high intergranular and/or fracture permeability, usually providing a high level of water storage and may support water supply/river base flow on a strategic scale. Generally principal aquifers were previously major aquifers







This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

Groundwater vulnerability



5.3 Groundwater vulnerability

Records within 50m

2

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium Intermediate between high and low vulnerability.
- Low Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on page 34





Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures
3	On site	Summary Classification: Secondary superficial aquifer - High Vulnerability Combined classification: Productive Bedrock Aquifer, Productive Superficial Aquifer	Leaching class: Intermediate Infiltration value: >70% Dilution value: <300mm/year	Vulnerability: High Aquifer type: Secondary Thickness: >10m Patchiness value: >90% Recharge potential: Low	Vulnerability: Low Aquifer type: Principal Flow mechanism: Well connected fractures

This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.

5.4 Groundwater vulnerability- soluble rock risk

Records on site	1
This dataset identifies areas where solution features that enable rapid movement of a pollutant mapresent within a 1km grid square.	iy be

 ID
 Maximum soluble risk category
 Percentage of grid square covered by maximum risk

 2
 Significant soluble rocks are likely to be present. Low possibility of localised subsidence or dissolution-related degradation of bedrock occurring naturally, but may be possible in adverse conditions such as high surface or subsurface water flow.
 2.0%

This data is sourced from the British Geological Survey and the Environment Agency.

5.5 Groundwater vulnerability- local information

Records on site 0


This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on enquiries@environment-agency.gov.uk.

This data is sourced from the British Geological Survey and the Environment Agency.





Abstractions and Source Protection Zones



5.6 Groundwater abstractions

Records within 2000m

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on page 36







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

ID	Location	Details	
3	742m S	Status: Active Licence No: 6/33/41/*G/0068 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE 2 AT MANOR FARM Data Type: Point Name: BARTON STUD PARTNERSHIP Easting: 589250 Northing: 266490	Annual Volume (m ³): 13,660 Max Daily Volume (m ³): 40.97 Original Application No: - Original Start Date: 01/06/1967 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -
-	1669m NE	Status: Historical Licence No: 6/33/41/*G/0061 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT HIGHFIELDS FARM Data Type: Point Name: ADDISON Easting: 590900 Northing: 268600	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/08/1966 Expiry Date: - Issue No: 100 Version Start Date: 01/08/1966 Version End Date: -
-	1767m SE	Status: Historical Licence No: 6/33/41/*G/0168 Details: Spray Irrigation - Storage Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/05/1994 Expiry Date: - Issue No: 100 Version Start Date: 06/02/1996 Version End Date: -
-	1767m SE	Status: Historical Licence No: 6/33/41/*G/0188 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): 348980 Max Daily Volume (m ³): 4086 Original Application No: - Original Start Date: 19/02/2004 Expiry Date: 31/03/2015 Issue No: 2 Version Start Date: 22/11/2010 Version End Date: -
-	1767m SE	Status: Historical Licence No: 6/33/41/*G/0188/R01 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON - PT A Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): 348980 Max Daily Volume (m ³): 5540 Original Application No: - Original Start Date: 01/04/2015 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 01/04/2015 Version End Date: -







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

ID	Location	Details	
-	1767m SE	Status: Historical Licence No: 6/33/41/*G/0188/R01 Details: Spray Irrigation - Storage Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON - PT A Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): 348980 Max Daily Volume (m ³): 5540 Original Application No: - Original Start Date: 01/04/2015 Expiry Date: 31/03/2018 Issue No: 1 Version Start Date: 01/04/2015 Version End Date: -
-	1767m SE	Status: Active Licence No: 6/33/41/*G/0188/R02 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON - PT A Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): 364,000 Max Daily Volume (m ³): 5,540 Original Application No: - Original Start Date: 23/05/2018 Expiry Date: 31/03/2024 Issue No: 1 Version Start Date: 23/05/2018 Version End Date: -
-	1767m SE	Status: Active Licence No: 6/33/41/*G/0188/R02 Details: Spray Irrigation - Storage Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON - PT A Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): 364,000 Max Daily Volume (m ³): 5,540 Original Application No: - Original Start Date: 23/05/2018 Expiry Date: 31/03/2024 Issue No: 1 Version Start Date: 23/05/2018 Version End Date: -
-	1767m SE	Status: Historical Licence No: 6/33/41/*G/0188 Details: Transfer Between Sources (Pre Water Act 2003) Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): 348980 Max Daily Volume (m ³): 4086 Original Application No: - Original Start Date: 19/02/2004 Expiry Date: 31/03/2015 Issue No: 2 Version Start Date: 22/11/2010 Version End Date: -
-	1767m SE	Status: Historical Licence No: 6/33/41/*G/0168 Details: Spray Irrigation - Direct Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE AT GREAT BARTON Data Type: Point Name: BARTON PLACE FARMS Easting: 590130 Northing: 265600	Annual Volume (m ³): - Max Daily Volume (m ³): - Original Application No: - Original Start Date: 01/05/1994 Expiry Date: - Issue No: 100 Version Start Date: 06/02/1996 Version End Date: -





Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

ID	Location	Details	
-	1828m SW	Status: Active Licence No: 6/33/41/*G/0068 Details: General Farming & Domestic Direct Source: GROUND WATER SOURCE OF SUPPLY Point: BOREHOLE 1 AT BARTON STUD Data Type: Point Name: BARTON STUD PARTNERSHIP Easting: 587610 Northing: 266280	Annual Volume (m ³): 13,660 Max Daily Volume (m ³): 40.97 Original Application No: - Original Start Date: 01/06/1967 Expiry Date: - Issue No: 100 Version Start Date: 01/04/2008 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.7 Surface water abstractions

Records within 2000m	5

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

Features are displayed on the Abstractions and Source Protection Zones map on page 36

ID	Location	Details	
-	1136m SE	Status: Active Licence No: AN/033/0041/002 Details: Spray Irrigation - Storage Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: DRAIN AT THURSTON ROAD,GT BARTON Data Type: Point Name: BARTON PLACE FARMS Easting: 590450 Northing: 266510	Annual Volume (m ³): 40,000 Max Daily Volume (m ³): 350 Original Application No: - Original Start Date: 29/11/2010 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 29/11/2010 Version End Date: -
-	1899m W	Status: Historical Licence No: 6/33/37/*S/0330 Details: Spray Irrigation - Storage Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: FARM DRAIN AT FORNHAM ST MARTIN Data Type: Point Name: R L & J P LONG Easting: 587243 Northing: 267353	Annual Volume (m ³): 181819 Max Daily Volume (m ³): 4000 Original Application No: - Original Start Date: 06/11/1992 Expiry Date: 31/03/2016 Issue No: 101 Version Start Date: 01/04/2007 Version End Date: -







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

ID	Location	Details	
-	1899m W	Status: Active Licence No: AN/033/0037/017 Details: Spray Irrigation - Storage Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: FARM DRAIN AT FORNHAM ST MARTIN Data Type: Point Name: R L & J P LONG Easting: 587243 Northing: 267353	Annual Volume (m ³): 154,546 Max Daily Volume (m ³): 4,000 Original Application No: - Original Start Date: 01/04/2016 Expiry Date: 31/03/2027 Issue No: 1 Version Start Date: 01/04/2016 Version End Date: -
-	1913m W	Status: Historical Licence No: 6/33/37/*S/0330 Details: Spray Irrigation - Storage Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: FARM DRAIN AT FORNHAM ST MARTIN Data Type: Point Name: LONG Easting: 587230 Northing: 267340	Annual Volume (m ³): 181819 Max Daily Volume (m ³): 4000 Original Application No: - Original Start Date: 06/11/1992 Expiry Date: 31/03/2016 Issue No: 101 Version Start Date: 01/04/2007 Version End Date: -
-	1945m W	Status: Historical Licence No: 6/33/37/*S/0330 Details: Spray Irrigation - Storage Direct Source: SURFACE WATER SOURCE OF SUPPLY Point: FARM DRAIN-FORNHAM ST MARTIN Data Type: Point Name: LONG Easting: 587200 Northing: 267300	Annual Volume (m ³): 181819 Max Daily Volume (m ³): 4000 Original Application No: - Original Start Date: 01/11/1992 Expiry Date: - Issue No: 100 Version Start Date: 01/07/1998 Version End Date: -

This data is sourced from the Environment Agency and Natural Resources Wales.

5.8 Potable abstractions

Records within 2000m

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

This data is sourced from the Environment Agency and Natural Resources Wales.







5.9 Source Protection Zones

Records within 500m 2	
-----------------------	--

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination. Features are displayed on the Abstractions and Source Protection Zones map on **page 36**

ID	Location	Туре	Description
1	On site	3	Total catchment
2	On site	2	Outer catchment

This data is sourced from the Environment Agency and Natural Resources Wales.

5.10 Source Protection Zones (confined aquifer)

Records within 500m	0	

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

This data is sourced from the Environment Agency and Natural Resources Wales.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

6 Hydrology



6.1 Water Network (OS MasterMap)

Records within 250m

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on page 42

ID	Location	Type of water feature	Ground level	Permanence	Name
A	176m W	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

This data is sourced from the Ordnance Survey.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

6.2 Surface water features

Records within 250m

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on page 42

This data is sourced from the Ordnance Survey.

6.3 WFD Surface water body catchments

Records on site 1

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on page 42

ID	Location	Туре	Water body catchment	Water body ID	Operational catchment	Management catchment
2	On site	River WB catchment	Pakenham Stream	GB105033043300	Little Ouse and Thet	Cam and Ely Ouse

This data is sourced from the Environment Agency and Natural Resources Wales.

6.4 WFD Surface water bodies

Records identified

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on page 42

IC	Location	Туре	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	2704m E	River	Pakenham Stream	<u>GB105033043300</u>	Moderate	Good	Moderate	2016





1



This data is sourced from the Environment Agency and Natural Resources Wales.

6.5 WFD Groundwater bodies

Records	on site					1
---------	---------	--	--	--	--	---

Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on page 42

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
1	On site	Cam and Ely Ouse Chalk	<u>GB40501G400500</u>	Poor	Poor	Poor	2015

This data is sourced from the Environment Agency and Natural Resources Wales.







7 River and coastal flooding

7.1 Risk of Flooding from Rivers and Sea (RoFRaS)

Records within 50m

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance).

This data is sourced from the Environment Agency and Natural Resources Wales.

7.2 Historical Flood Events

Records within 250m

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.3 Flood Defences

Records within 250m

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.4 Areas Benefiting from Flood Defences

Records within 250m

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.





0

0

0



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

7.5 Flood Storage Areas

Records within 250m

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

This data is sourced from the Environment Agency and Natural Resources Wales.







0

0

River and coastal flooding - Flood Zones

7.6 Flood Zone 2

Records within 50m

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

This data is sourced from the Environment Agency and Natural Resources Wales.

7.7 Flood Zone 3

Records within 50m

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

This data is sourced from the Environment Agency and Natural Resources Wales.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

8 Surface water flooding



8.1 Surface water flooding

Highest risk on site

1 in 250 year, 0.1m - 0.3m

Highest risk within 50m

1 in 30 year, 0.3m - 1.0m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on page 48

The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.







The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Between 0.1m and 0.3m
1 in 250 year	Between 0.1m and 0.3m
1 in 100 year	Negligible
1 in 30 year	Negligible

This data is sourced from Ambiental Risk Analytics.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

9 Groundwater flooding



9.1 Groundwater flooding

Highest risk on site	Moderate
Highest risk within 50m	Moderate

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on page 50

This data is sourced from Ambiental Risk Analytics.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

10 Environmental designations



10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were renotified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.







0

0

0

0

10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.3 Special Areas of Conservation (SAC)

Records within 2000m

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.4 Special Protection Areas (SPA)

Records within 2000m

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.5 National Nature Reserves (NNR)

Records within 2000m

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.







10.6 Local Nature Reserves (LNR)

Records within 2000m

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.7 Designated Ancient Woodland

Records within 2000m

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on page 51

ID	Location	Name	Woodland Type
-	1553m S	Barton Shrub	Ancient Replanted Woodland
-	1553m S	Barton Shrub	Ancient & Semi-Natural Woodland
-	1615m NW	Unknown	Ancient & Semi-Natural Woodland
-	1777m S	Barton Shrub	Ancient & Semi-Natural Woodland

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.8 Biosphere Reserves

Records within 2000m	0
Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance cons	ervation

and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.





0



10.9 Forest Parks

Records within 2000m

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

This data is sourced from the Forestry Commission.

10.10 Marine Conservation Zones

Records within 2000m

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

10.11 Green Belt

Records within 2000m

Records within 2000m

Areas designated to prevent urban sprawl by keeping land permanently open.

This data is sourced from the Ministry of Housing, Communities and Local Government.

10.12 Proposed Ramsar sites

1				
				-

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

This data is sourced from Natural England and Natural Resources Wales.





0

0

0

0



10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

This data is sourced from Natural England.

10.15 Nitrate Sensitive Areas

Records within 2000m

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

This data is sourced from Natural England.

10.16 Nitrate Vulnerable Zones

Records within 2000m

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Туре	NVZ ID	Status
On site	Anglian Chalk	Groundwater	G71	Existing
On site	Ely Ouse and Cut-off channel NVZ	Surface Water	S390	Existing
1232m S	Anglian Challe			
12321113	Anglian Chalk	Groundwater	G71	Existing

This data is sourced from Natural England and Natural Resources Wales.



Contact us with any questions at: info@groundsure.com 08444 159 000




0

0



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

SSSI Impact Zones and Units



10.17 SSSI Impact Risk Zones

Records on site

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on page 56







ID	Location	Type of developments requiring consultation
1	On site	All applications - All Planning Applications (Except Householder) Outside Or Extending Outside Existing Settlements/urban Areas Affecting Greenspace, Farmland, Semi Natural Habitats Or Landscape Features Such As Trees, Hedges, Streams, Rural Buildings/structures Infrastructure - Airports, helipads and other aviation proposals. Air pollution - Livestock & poultry units with floorspace > 500m ² , slurry lagoons > 750m ² & manure stores > 3500t. Combustion - General combustion processes >50MW energy input. Incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion Discharges - Any discharge of water or liquid waste of more than 20m³/day to ground (ie to seep away) or to surface water, such as a beck or stream (NB This does not include discharges to mains sewer which are unlikely to pose a risk at this location)

This data is sourced from Natural England.

10.18 SSSI Units

Records	within	2000m
---------	--------	-------

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

This data is sourced from Natural England and Natural Resources Wales.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

11 Visual and cultural designations



11.1 World Heritage Sites

Records within 250m

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

This data is sourced from Historic England, Cadw and Historic Environment Scotland.







11.2 Area of Outstanding Natural Beauty

Records within 250m

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.

11.3 National Parks

Records within 250m

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic wellbeing of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.

11.4 Listed Buildings

Records within 250m

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.

Location **Reference Number** ID Name Grade Listed date 1 38m SE Elms Farmhouse, Great Barton, West Suffolk, Suffolk, IP31 1031159 Ш 14/07/1955 2 129m S Milestone On The South East Side Of The Street, Due East Of 1194744 28/03/1985 Ш The Forge, Great Barton, West Suffolk, Suffolk, IP31 3 148m S The Forge, Great Barton, West Suffolk, Suffolk, IP31 Ш 1031158 28/03/1985 Forge Bungalows, Great Barton, West Suffolk, Suffolk, IP31 4 237m S Ш 1194741 28/03/1985

Features are displayed on the Visual and cultural designations map on page 58

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.



Contact us with any questions at: info@groundsure.com 08444 159 000



0

0



11.5 Conservation Areas

Records within 250m

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.

11.6 Scheduled Ancient Monuments

Records within 250m

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.

11.7 Registered Parks and Gardens

Records within 250m

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

This data is sourced from English Heritage, Cadw and Historic Environment Scotland.



0








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

12 Agricultural designations



12.1 Agricultural Land Classification

Records within 250m

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on page 61

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

This data is sourced from Natural England.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

12.2 Open Access Land

Records within 250m

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

This data is sourced from Natural England and Natural Resources Wales.

12.3 Tree Felling Licences

Records within 250m

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

Features are displayed on the Agricultural designations map on page 61

ID	Location	Description	Reference	Application date
2	78m E	Selective Fell/Thin (Unconditional)	017/242/10-11	06/12/2010

This data is sourced from the Forestry Commission.

12.4 Environmental Stewardship Schemes

Records within 250m	0

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment.

This data is sourced from Natural England.

12.5 Countryside Stewardship Schemes

Records within 250m

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

This data is sourced from Natural England.

/		
(.	$\langle \gamma \rangle$	
1	<u> </u>	




0



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

13 Habitat designations



13.1 Priority Habitat Inventory

Records within 250m

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on page 63

ID	Location	Main Habitat	Other habitats
1	78m E	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
2	156m E	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
3	187m W	No main habitat but additional habitats present	Main habitat: DWOOD (INV > 50%)
4	228m S	Deciduous woodland	Main habitat: DWOOD (INV > 50%)







0

0

0

ID	Location	Main Habitat	Other habitats
5	244m W	No main habitat but additional habitats present	Main habitat: DWOOD (INV > 50%)
6	249m W	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

This data is sourced from Natural England.

13.2 Habitat Networks

Records within 250m

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

This data is sourced from Natural England.

13.3 Open Mosaic Habitat

Records within 250m

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

This data is sourced from Natural England.

13.4 Limestone Pavement Orders

Records within 250m

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.


This data is sourced from Natural England.





Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

14 Geology 1:10,000 scale - Availability



14.1 10k Availability

Records within 500m	1
An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed data	aset provide

An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on page 65

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	No coverage	No coverage	No coverage	ΝοϹον







Geology 1:10,000 scale - Artificial and made ground

14.2 Artificial and made ground (10k)

Records within 500m

0

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.







0

0

Geology 1:10,000 scale - Superficial

14.3 Superficial geology (10k)

Records within 500m

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

This data is sourced from the British Geological Survey.

14.4 Landslip (10k)

Records within 500m

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.







0

0

Geology 1:10,000 scale - Bedrock

14.5 Bedrock geology (10k)

Records within 500m

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

This data is sourced from the British Geological Survey.

14.6 Bedrock faults and other linear features (10k)

Records within 500m

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

15 Geology 1:50,000 scale - Availability



15.1 50k Availability

Records within 500m

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:50,000 scale - Availability map on page 69

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	No coverage	EW189_bury_st_edmunds_v4

This data is sourced from the British Geological Survey.







0

0

Geology 1:50,000 scale - Artificial and made ground

15.2 Artificial and made ground (50k)

Records within 500m

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

This data is sourced from the British Geological Survey.

15.3 Artificial ground permeability (50k)

Records within 50m

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

Geology 1:50,000 scale - Superficial



15.4 Superficial geology (50k)

Records within 500m

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on page 71

ID	Location	LEX Code	Description	Rock description
1	On site	CSD-S	COVER SAND	SAND
2	On site	HEAD- XVSZC	HEAD	GRAVEL, SAND, SILT AND CLAY
3	On site	LOFT-DMTN	LOWESTOFT FORMATION	DIAMICTON







3

ID	Location	LEX Code	Description	Rock description
4	258m SE	LOFT-DMTN	LOWESTOFT FORMATION	DIAMICTON
5	461m NE	LOFT-DMTN	LOWESTOFT FORMATION	DIAMICTON

This data is sourced from the British Geological Survey.

15.5 Superficial permeability (50k)

Records within 50m

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Intergranular	High	High
On site	Intergranular	Very High	Low
On site	Mixed	Moderate	Low

This data is sourced from the British Geological Survey.

15.6 Landslip (50k)

artificial ground.

Records within 500m	0
Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits th moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits a	

This data is sourced from the British Geological Survey.

15.7 Landslip permeability (50k)

Records within 50m

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

This data is sourced from the British Geological Survey.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

Geology 1:50,000 scale - Bedrock



15.8 Bedrock geology (50k)

Records within 500m

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on page 73

ID	Location	LEX Code	Description	Rock age
1	On site	LCCK-CHLK	LEWES NODULAR CHALK FORMATION, SEAFORD CHALK FORMATION, NEWHAVEN CHALK FORMATION AND CULVER CHALK FORMATION (UNDIFFERENTIATED) - CHALK	TURONIAN

This data is sourced from the British Geological Survey.







15.9 Bedrock permeability (50k)

Records within 50m	1	

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
On site	Fracture	Very High	Very High

This data is sourced from the British Geological Survey.

15.10 Bedrock faults and other linear features (50k)

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

16 Boreholes



16.1 BGS Boreholes

Records within 250m

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on page 75

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	182m S	589270 267060	SOUTHVIEW GREAT BARTON	47.24	Ν	<u>553722</u>
2	215m W	588940 267220	CARTRE GREAT BARTON	61.26	Ν	<u>553720</u>

This data is sourced from the British Geological Survey.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

17 Natural ground subsidence - Shrink swell clays



17.1 Shrink swell clays

Records within 50m

The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on page 76

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.
On site	Very low	Ground conditions predominantly low plasticity.
On site	Low	Ground conditions predominantly medium plasticity.












Natural ground subsidence - Running sands



17.2 Running sands

Records within 50m

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on page 78

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.








Location	Hazard rating	Details
On site	Low	Running sand conditions may be present. Constraints may apply to land uses involving excavation or the addition or removal of water.







Natural ground subsidence - Compressible deposits



17.3 Compressible deposits

Records within 50m

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.

Features are displayed on the Natural ground subsidence - Compressible deposits map on page 80

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.


This data is sourced from the British Geological Survey.







Natural ground subsidence - Collapsible deposits



17.4 Collapsible deposits

Records within 50m

The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on page 81

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

This data is sourced from the British Geological Survey.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

Natural ground subsidence - Landslides



17.5 Landslides

Records within 50m

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.

Features are displayed on the Natural ground subsidence - Landslides map on page 82

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.


This data is sourced from the British Geological Survey.







Natural ground subsidence - Ground dissolution of soluble rocks



17.6 Ground dissolution of soluble rocks

Records within 50m

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on page 83

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.







Location	Hazard rating	Details
On site	Very low	Soluble rocks are present within the ground. Few dissolution features are likely to be present. Potential for difficult ground conditions or localised subsidence are at a level where they need not be considered.








Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

18 Mining, ground workings and natural cavities



18.1 Natural cavities

Records within 500m

Industry recognised national database of natural cavities. Sinkholes and caves are formed by the dissolution of soluble rock, such as chalk and limestone, gulls and fissures by cambering. Ground instability can result from movement of loose material contained within these cavities, often triggered by water.

This data is sourced from Peter Brett Associates (PBA).







18.2 BritPits

Records within 500m

BritPits (an abbreviation of British Pits) is a database maintained by the British Geological Survey of currently active and closed surface and underground mineral workings. Details of major mineral handling sites, such as wharfs and rail depots are also held in the database.

Features are displayed on the Mining, ground workings and natural cavities map on page 85

ID	Location	Details	Description
A	185m E	Name: Icehouse Gravel Pit Address: Great Barton, BURY ST EDMUNDS, Suffolk Commodity: Sand & Gravel Status: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Type: Ceased Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
В	407m E	Name: The Heath Chalk Pit Address: Great Barton, BURY ST EDMUNDS, Suffolk Commodity: Chalk Status: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Type: Ceased Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority
С	490m E	Name: The Heath Gravel Pit Address: Great Barton, BURY ST EDMUNDS, Suffolk Commodity: Sand & Gravel Status: A surface mineral working. It may be termed Quarry, Sand Pit, Clay Pit or Opencast Coal Site	Type: Ceased Status description: Site which, at date of entry, has ceased to extract minerals. May be considered as Closed by operator. May be considered to have Active, Dormant or Expired planning permissions by Mineral Planning Authority

This data is sourced from the British Geological Survey.

18.3 Surface ground workings

Records within 250m	
---------------------	--

Historical land uses identified from Ordnance Survey mapping that involved ground excavation at the surface. These features may or may not have been subsequently backfilled.

Features are displayed on the Mining, ground workings and natural cavities map on page 85

ID	Location	Land Use	Year of mapping	Mapping scale
А	133m E	Gravel Pit	1950	1:10560
А	134m E	Gravel Pit	1905	1:10560
А	134m E	Gravel Pit	1883	1:10560



6



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

0

2

ID	Location	Land Use	Year of mapping	Mapping scale
А	136m E	Gravel Pit	1957	1:10560
А	136m E	Unspecified Disused Pit	1994	1:10000
А	136m E	Unspecified Disused Pit	1976	1:10000

This is data is sourced from Ordnance Survey/Groundsure.

18.4 Underground workings

Records within 1000m

Historical land uses identified from Ordnance Survey mapping that indicate the presence of underground workings e.g. mine shafts.

This is data is sourced from Ordnance Survey/Groundsure.

18.5 Historical Mineral Planning Areas

F	ecords	within	500m	1								0	
_		<i>с</i> .				 <i>c</i>	_		 		 		

Boundaries of mineral planning permissions for England and Wales. This data was collated between the 1940s (and retrospectively to the 1930s) and the mid 1980s. The data includes permitted, withdrawn and refused permissions.

This data is sourced from the British Geological Survey.

18.6 Non-coal mining

Records within 1000m

The potential for historical non-coal mining to have affected an area. The assessment is drawn from expert
knowledge and literature in addition to the digital geological map of Britain. Mineral commodities may be
divided into seven general categories - vein minerals, chalk, oil shale, building stone, bedded ores, evaporites
and 'other' commodities (including ball clay, jet, black marble, graphite and chert).

Features are displayed on the Mining, ground workings and natural cavities map on page 85

ID	Location	Name	Commodity	Class	Likelihood
1	On site	Not available	Chalk	A	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered







0

0

0

0

ID	Location	Name	Commodity	Class	Likelihood
2	265m E	Not available	Chalk	A	Sporadic underground mining of restricted extent may have occurred. Potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered

This data is sourced from the British Geological Survey.

18.7 Mining cavities

Records within 1000m

Industry recognised national database of mining cavities. Degraded mines may result in hazardous subsidence (crown holes). Climatic conditions and water escape can also trigger subsidence over mine entrances and workings.

This data is sourced from Peter Brett Associates (PBA).

18.8 JPB mining areas

	Records on site	
--	-----------------	--

Areas which could be affected by former coal mining. This data includes some mine plans unavailable to the Coal Authority.

This data is sourced from Johnson Poole and Bloomer.

18.9 Coal mining

Records on site

Areas which could be affected by past, current or future coal mining.

This data is sourced from the Coal Authority.

18.10 Brine areas

Records on site

The Cheshire Brine Compensation District indicates areas that may be affected by salt and brine extraction in Cheshire and where compensation would be available where damage from this mining has occurred. Damage from salt and brine mining can still occur outside this district, but no compensation will be available.

This data is sourced from the Cheshire Brine Subsidence Compensation Board.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

18.11 Gypsum areas

Records on site

Generalised areas that may be affected by gypsum extraction.

This data is sourced from British Gypsum.

18.12 Tin mining

Records on site

Generalised areas that may be affected by historical tin mining.

This data is sourced from Mining Searches UK.

18.13 Clay mining

Records on site

Generalised areas that may be affected by kaolin and ball clay extraction.

This data is sourced from the Kaolin and Ball Clay Association (UK).






0

0



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

19 Radon



19.1 Radon

Records on site

Estimated percentage of dwellings exceeding the Radon Action Level. This data is the highest resolution radon dataset available for the UK and is produced to a 75m level of accuracy to allow for geological data accuracy and a 'residential property' buffer. The findings of this section should supersede any estimations derived from the Indicative Atlas of Radon in Great Britain. The data was derived from both geological assessments and long term measurements of radon in more than 479,000 households.

Features are displayed on the Radon map on page 90

Location	Estimated properties affected	Radon Protection Measures required
On site	Less than 1%	None**

This data is sourced from the British Geological Survey and Public Health England.







20 Soil chemistry

20.1 BGS Estimated Background Soil Chemistry

Records within 50m

The estimated values provide the likely background concentration of the potentially harmful elements Arsenic, Cadmium, Chromium, Lead and Nickel in topsoil. The values are estimated primarily from rural topsoil data collected at a sample density of approximately 1 per 2 km². In areas where rural soil samples are not available, estimation is based on stream sediment data collected from small streams at a sampling density of 1 per 2.5 km²; this is the case for most of Scotland, Wales and southern England. The stream sediment data are converted to soil-equivalent concentrations prior to the estimation.

Location	Arsenic	Bioaccessible Arsenic	Lead	Bioaccessible Lead	Cadmium	Chromium	Nickel
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	20 - 40 mg/kg	15 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 - 30 mg/kg
On site	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	20 - 40 mg/kg	15 mg/kg
15m NE	15 mg/kg	No data	100 mg/kg	60 mg/kg	1.8 mg/kg	40 - 60 mg/kg	15 mg/kg

This data is sourced from the British Geological Survey.

20.2 BGS Estimated Urban Soil Chemistry

Records within 50m

Estimated topsoil chemistry of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc and bioaccessible Arsenic and Lead in 23 urban centres across Great Britain. These estimates are derived from interpolation of the measured urban topsoil data referred to above and provide information across each city between the measured sample locations (4 per km²).

This data is sourced from the British Geological Survey.





0



0

20.3 BGS Measured Urban Soil Chemistry

Records within 50m

The locations and measured total concentrations (mg/kg) of Arsenic, Cadmium, Chromium, Copper, Nickel, Lead, Tin and Zinc in urban topsoil samples from 23 urban centres across Great Britain. These are collected at a sample density of 4 per km².







21 Railway infrastructure and projects

21.1 Underground railways (London)

Records within 250m

Details of all active London Underground lines, including approximate tunnel roof depth and operational hours.

This data is sourced from publicly available information by Groundsure.

21.2 Underground railways (Non-London)

Records within 250m

Details of the Merseyrail system, the Tyne and Wear Metro and the Glasgow Subway. Not all parts of all systems are located underground. The data contains location information only and does not include a depth assessment.

This data is sourced from publicly available information by Groundsure.

21.3 Railway tunnels

Records within 250m

Railway tunnels taken from contemporary Ordnance Survey mapping.

This data is sourced from the Ordnance Survey.

21.4 Historical railway and tunnel features

Records within 250m

Railways and tunnels digitised from historical Ordnance Survey mapping as scales of 1:1,250, 1:2,500, 1:10,000 and 1:10,560.

This data is sourced from Ordnance Survey/Groundsure.

21.5 Royal Mail tunnels

Records within 250m

The Post Office Railway, otherwise known as the Mail Rail, is an underground railway running through Central London from Paddington Head District Sorting Office to Whitechapel Eastern Head Sorting Office. The line is 10.5km long. The data includes details of the full extent of the tunnels, the depth of the tunnel, and the depth to track level.





0

0

0

0



Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

0

0

0

0

This data is sourced from Groundsure/the Postal Museum.

21.6 Historical railways

Records within 250m0Former railway lines, including dismantled lines, abandoned lines, disused lines, historic railways and razed
lines.This data is sourced from OpenStreetMap.

21.7 Railways

Records within 250m

Currently existing railway lines, including standard railways, narrow gauge, funicular, trams and light railways. This data is sourced from Ordnance Survey and OpenStreetMap.

21.8 Crossrail 1

Records within 500m

The Crossrail railway project links 41 stations over 100 kilometres from Reading and Heathrow in the west, through underground sections in central London, to Shenfield and Abbey Wood in the east.

This data is sourced from publicly available information by Groundsure.

21.9 Crossrail 2

Records within 500m

Crossrail 2 is a proposed railway linking the national rail networks in Surrey and Hertfordshire via an underground tunnel through London.

This data is sourced from publicly available information by Groundsure.

21.10 HS2

Records within 500m

HS2 is a proposed high speed rail network running from London to Manchester and Leeds via Birmingham. Main civils construction on Phase 1 (London to Birmingham) of the project began in 2019, and it is currently anticipated that this phase will be fully operational by 2026. Construction on Phase 2a (Birmingham to Crewe) is anticipated to commence in 2021, with the service fully operational by 2027. Construction on Phase 2b (Crewe to Manchester and Birmingham to Leeds) is scheduled to begin in 2023 and be operational by 2033.

This data is sourced from HS2 ltd.







Ref: EMS-639924_850173 Your ref: EMS_639924_850173 Grid ref: 589360 267399

Data providers

Groundsure works with respected data providers to bring you the most relevant and accurate information. To find out who they are and their areas of expertise see <u>https://www.groundsure.com/sources-reference</u>.

Terms and conditions

Groundsure's Terms and Conditions can be accessed at this link: <u>https://www.groundsure.com/terms-and-conditions-jan-2020/</u>.



