

DRAFT
PRELIMINARY REPORT - FOR INFORMATION PURPOSES ONLY







Network Records NetMAP Symbols Booklet East of England

This symbol booklet is intended as a general guide only - some local variations of these symbols may be found.

Version 1.2

Released October 2010

Always check with your local Network Records office or the UK Power Networks server to ensure that you are using the most up to date copy of this booklet - Tel: 08000

Index:-

| 1:500 view 1:500 (LV) & 1: only). LV network diag | Page no: | Contents: |
|---|-----------------------|--|
| | 2 1 | Guidance notes. The area covered by this guide |
| | | Scenery |
| | 4 | Scenery (UK Power Net |
| | 7 | Primary distribution cables (EHV). |
| | 8 | Secondary distribution cables (HV/LV). |
| | 9 | Service cables/terminations. |
| | 10 | Cable ducts. |
| | 11 | EHV/HV/LV sites. |
| | 13 | Mains joints. |
| | 14 | Service joints. |
| | | Cross sections. |
| | 17 | Common abbreviations/terminology (all views). |
| | 19 <u>1:2500 (LV)</u> | . 1:10000 (HV) network v |
| | only). | General. |
| | 20 22 | 1:2500 scale LV network. 1:10000 scale HV network |
| | 23 <u>LV network</u> | agram view (UK Power No Overhead lines. |
| | 24 | Underground cables. |
| | 26 | Joints. Substations/pole transformers. |

Guidance notes.

Important notice:


If you do not understand the NetMAP record that you are using, please contact the UK Power Networks Network Records team for guidance **Tel: 08000 565866.**

- The position of apparatus shown on NetMAP is believed to be correct, but the original landmarks may have altered since the apparatus was installed.
- It must be assumed that there is at least one service to each property, lamp column, street sign etc.
- All cables must be treated as live, unless proven otherwise by an authorised UK Power Networks representative.
- Third party cables are not usually shown. In cases of doubt, please telephone 08000 565866.
- When two or more maps are supplied for the same area, the maps must be read in conjunction with each other and with this symbol document.
- All LV cables are assumed to be 4 core, and all HV cables assumed to be 3 core unless otherwise stated.



Plan Provision Team Fore Hamlet Ipswich Suffolk IP3 8AA Tel: 08000 565866

The area covered by this guide:



1:500 view - underground network

| Sci | Scenery | |
|-----------------------------|---------|---|
| NetMAP system Scanned image | d image | Description |
| | | 100 metre Ordnance Survey grid line (on 0/S based maps only.) |
| | | Building line Kerb line Electrical Boundary |

Scenery - for UK Power Networks use only - boxed in red

| | | Inset Network – Contact xxxx IDNO for further information | NetMAP system |
|---|---|--|---------------|
| Not applicable | Not applicable | Not applicable | Scanned image |
| High pressure pipelines in the general vicinity (only visible to UK Power Networks and their immediate contractors) | Proposed Cross Rail route (only visible to UK Power Networks and their immediate contractors) | Area of inset network - not the asset of UK Power Networks (only visible to UK Power Networks and their immediate contractors) | Description |

Note: Pipelines are only viewable on NettMAP by UK Power Networks staff and their immediate contractors. Do not carry out any excavation without consent from the relevant agency - legally protected high pressure petroleum products pipeline route in the general vicinity - consult www.linewatch.co.uk for contacts and guidance. Pipeline contact numbers can also be found on the intranet – out of hours, contact our Control Centre.

| \Diamond | | | |
|--|--|--|---|
| Not applicable | Not applicable | Not applicable | Not applicable |
| Water - Source Protection Zone 3 (only visible to UK Power Networks and their immediate contractors) | Water - Source Protection Zone 2 (only visible to UK Power Networks and their immediate contractors) | Water - Source Protection Zone 1 (only visible to UK Power Networks and their immediate contractors) | Water - surface water (only visible to UK Power Networks and their immediate contractors) |

section continued on next page

Scenery for UK Power Networks use only - boxed in NetMAP system Scanned image red Description

| | | | | _ |
|--|--|--|--|-----|
| > | | 0 | \(\) | - / |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| Nature - Ramsar Wetlands of International Importance | Historical - Areas of Archaeological Potential (AAP) (only visible to E UK Power Networks and their Immediate contractors) | Historical - Parks and Gardens (only visible to UK Power Networks and their immediate contractors) | Historical - Scheduled Monuments (only visible to UK Power Networks and their immediate contractors) | |

(only visible to UK Power Networks and their immediate contractors)

Conservation (SAC) (only visible to UK Power Networks and their immediate contractors) Nature - Special Area of

Not applicable

Nature - Special Protected Area (SPA)
(only visible to UK Power Networks and their immediate contractors)

Not applicable

(only visible to UK Power Networks and their immediate contractors) Nature - Site of Special and Scientific Interest (SSSI)

Scenery for UK Power Networks use only - boxed in red

| NetMAP system | Scanned image Not applicable Not applicable | Nature - Local Nature Reserve (only visible to UK Power Networks and their immediate contractors) Nature - National Nature Reserve (only visible to UK Power Networks |
|---------------|---|--|
| | Not applicable | Nature - National Nature Reserve (only visible to UK Power Networks and their immediate contractors) |
| \Diamond | Not applicable | Nature - Area of Outstanding Natural Beauty (AONB) (only visible to UK Power Networks and their immediate contractors) |
| \Diamond | Not applicable | Nature - National Park (only visible to UK Power Networks and their immediate contractors) |
| | Not applicable | Fluid filled cables - very high sensitivity (only visible to UK Power Networks and their immediate contractors) |
| | Not applicable | Fluid filled cables - high sensitivity (only visible to UK Power Networks and their immediate contractors) |
| | Not applicable | Fluid filled cables - medium sensitivity (only visible to UK Power Networks and their immediate contractors) Fluid filled cables - low |
| | Not applicable | Sensitivity (only visible to UK Power Networks and their immediate contractors) |

| Primary | Primary distribution cables (1:500 view) | leS (1:500 view) |
|---------------|--|---|
| NetMAP system | Scanned image | Description |
| | | Over 33kV and up to 132kV Over 11kV and up to 33kV |
| | | |

| Secondar | Secondary distribution cables (1:500 view) | bles (1:500 view) |
|---------------------|--|--|
| NetMAP system | Scanned image | Description |
| - | | Over 230/400V and up to 11kV (HV) cable route |
| | | 230/400V (LV) cable route |
| | (Only shown this way if | Pilot cable route |
| Abandoned cables an | Lindependent from HV cable route)! Abandoned cables are shown and labelled as such when applicable | such when applicable |

| Description | Scanned image | NetMAP system |
|---------------------|--|---------------|
| ations (1:500 view) | Service cables and terminations (1:500 view) | Service ca |

| Velivial system | Ocalilled illage | הפכו קייטור. |
|-----------------|---|---|
|) | · | 3 phase service with termination 3 phase service with termination |
| | Service routes were not always shown on MMS — | (unknown route) 3 phase service with multi—head termination |
| | dashed, as indicated above | Single phase service with termination |
|) | · | Single phase service with termination (route unknown) |
| Street light | Street light | Street lighting cable and termination |
| | | |

CHURCH RD NetMAP system COLCHESTER GRID HIGH STREET section continued on next page EHV, HV and LV sites (1:500 view) Scanned image COLCHESTER GRID CHURCH RD HIGH STREET HIGH STREET Service turret (solid type) H pole, any voltage Poles on underground records Pole transformer Feeder pillar — 4 way (6 way etc shown similarly) (6 way etc shown similarly) Link box -2 way Pad mounted substation Secondary substation Primary substation Description

Contaminated Land refer to SHE 01 016


Not applicable


Contaminated land reference


CAUTION Missing Information

this location

| EHV, HV a | EHV, HV and LV sites continued (1:500 view) | inued (1:500 view) |
|----------------------|---|--|
| NetMAP system | Scanned image | Description |
| No NetMAP equivalent | \triangle | Service turret (with link facility on LV main) |
| CAUTION | No equivalent | Missing data in or near this location |







NetMAP system Timber HV1023 HV3005 0 HV3005 | | | Cross sections continued (1:500 view) Scanned image 88 ● HV3005 0 HV3005 HV3005 7/1 6 way duct formation — irrespective of duct type and material, all are displayed similarly Timber Plastic tile tape Steel plate Protective slab 33kV fibre warning board Concrete slabs liles Single duct 132kV cable Pilot cable HV cable — modern EPR, Plam and Triplex with route number annotation 33kV cable Description

| | Com |
|---|--|
| , | mon ab |
| | Common abbreviations and terminology (all views) |
| | ons and |
| | termino |
| | ology (all |
| | views) |

| Abbrev. | Description | Abbrev. | Description |
|-----------|---|------------|---|
| | Single core | Cut out | Meter/main fuse position |
| 1pn 2c | Single phase Two core | X 2 | Triplex (copper) |
| 3c | Three core | R | Direct earth |
| | | DSTA | Double steel tape armoured |
| ABC | Aerial bunched (bundled) | 36 | |
| | oprodector (modern Ev | 3 5 | Earth fault passage indicator |
| ΑΒI | Air break isolator (no fuses) | FHV | Extra high voltage (11,001 |
| ABSD | Air break switch disconnector | ELC8 | Earth leakage circuit breaker |
| ACCS | Aluminium concentric copper | | |
| ≱ | Aluminium sneamea | EPR | Ethylene propylene rubber |
| AR | Auto recloser | Ew | Waveform cable |
| ASL | Automatic sectionalising links | E/₩ | Earthenware duct or |
| OX | Iriplex (aluminium) 2 x 22mm & PVC | Fdr_or | LV or HV cable fed by or |
| | | F/C | teeding a substation |
| | | F/P | Feeder pillar |
| 3 | (example) Iriplex | 왕 왕 | Fibreglass substation |
| °,6 | Concentric cores | GVR | vacuum recloser |
| 333 | Compact covered conductor | Ę | Hinh voltage (1.001— |
| 83 | Circuit | 114 | 11,000 Volts incl) |
| CNE | Combined neutral and earth | HYBRID | Modern plastic cable with |
| Cross | The core colour may be | | mixed conductor material |
| phased | different to originating transformer phasina | Insulation | Electrically protective (AI/Cu) |
| ន្តន | Consdc | | conductor |
| 5ដ៏ | Copper Copper | Insulator | Porcelain or glass over- |
| | | ITC | Instrument traced cable or ITC |
| | | | cable traced electronically |
| | | | using Cable Avoidance Tool |
| | _ | | (CAT) or similar |

| Abbrev. | Description | Abbrev. | Description |
|---------------|--|---------------|---|
| Jumper | Connecting lead between open points, section points and overhead plant | PICAS PILC | Paper insulated corrugated aluminium sheath armoured Paper insulated lead covered |
| ₹ | Kilovolt (or 1,000 Volts) — unit of electrical pressure | PILSTA | |
| kw | Kilowatt (1,000 Watts) – | PMF | Plain lead or public lighting |
| | Kilovolt Amps or power | PMT i | Pole mounted transformer |
| or LB | Means of connecting LV feeders together using links or fuses | PMR | Pale mounted recloser (generic term for OYT/GVR) |
| <u> </u> | Low smoke & fume | PT | Pole transformer |
| <u> </u> | Law voltage (up to 1,5000 Volts incl) | PVC | Polyvinyl chloride |
| LV Pillar | Law voltage fuse distribution | R Z | Reduced neutral |
| Neutral | Return path of live cable | s/c | Split concentric or single |
| 1 1일 1일 | Overhead line | S/L | Street light |
| OYS | | \$/\$ | Substation |
| 041 | Oil filled pole mounted | STA | Steel tape armoured |
| PC400 | recioser Pole mounted LV fuse unit | SWA | Steel wire armoured |
| PE | Pot end or potential end - |) etc | more than one TX exists |
| Phase | Usually the core colour of | 1/F or 1X | Transformer |
| | cross phased) — Red, | Volts | Unit of electrical pressure |
| | Yellow, Blue on old cables, or L1, L2, L3 on new cables, for example | Watts XLPE | Unit of electrical power Cross linked polyethylene |
| | | | |
| | | | |

section continued on next page

1:2500 & 1:10000 view - overhead networks - for UK Power Networks use only - boxed in red

| | General | |
|---------------|---------------|----------------|
| NetMAP system | Scanned image | Description |
| • : | 00 0 | H pole Pale |

1:2500 scale LV network

| ct page | section continued on next page | section |
|--|--|-------------------------|
| Flying stay Earthed pole in PME system Pole number Graund type substation Section pole Street light | 261 S.P. S.L. | ⊙ 261 S.P. S.L |
| Example of struts and stays | 2 3 | 2 3 |
| Voltage regulator Static balancer | ⊚ | ⊕- ⊗ |
| Pole and stay Pale and strut | | AII, |
| LV underground cable | | No NetMAP equivalent |
| Dual construction — dots mark pole position LV averhead line — dots mark pole position | | |
| dots mark pole position 11kV overhead line — dots mark pole position | | |
| ead Head Just | | No NetMAP equivalent |
| 132kV cable route | EDITORISMON IN IN SECUMENTAL IN SECUMENT | |
| Description | Scanned image | NetMAP system |
| | | |

| 1:2500 |
|-----------|
| scale |
| \ |
| network |
| continued |
| |

| NetMAP system | Scanned image | Description |
|---------------|---------------|-------------------|
| 0.R. Stay | 0.R. Stay | Outrigger stay |
| Ext. Brkt | Ext. Brkt | Extension bracket |
| P. Box | P. Bax | Pole box |
| N.E. | N.E. | Neutral and earth |
| O.R. Brkt | O.R. Brkt | Outrigger bracket |

1:10000 scale HV network

| = | ooo scale iiv ii | פראסיץ |
|-------------------|---------------------------------------|---|
| NetMAP system | Scanned image | Description |
| | | 132kV overhead line |
| • | | 33kV overhead line dots mark pole position |
| † † | - 0 0 0 | 11kV overhead line – dats mark pole position |
| # | • • • • • • • • • • • • • • • • • • • | 11kV overhead line — dual circuit — dots mark pole position |
| | | 11kV underground cable and EHV |
| \boxtimes | | Pylon HV or EHV |
| - - | 1 0 | Grid line tower |
| \ }- / | \ <u></u> | Stay |
| _ (SS) | (SS) | Ground type substation |
| \ -\ | | Pole type transformer |
| Ē | (F) | Live line taps |
| (S _W) | (Sw) | Switchgear – all types |
| (3) | (FG) | Fuse gear |
| (FA) | | Auto recloser — live line connected |
| 7 | | |

The above circular substation/switchgear symbols may be found that contain different combinations of apparatus (see last example)

LV network diagram view-for UK Power Networks use only-boxed in red

| Overhead lines | ıd lines |
|----------------|-------------|
| NetMAP system | Description |
| | Unknown |
| | A |
| | Cu |
| | ABC |
| 1 | Pole link |
| | |

| | | | | | | | | | | | NetMAP system | Underground cables |
|-------|-----|----|-----|----|-----|-----|----|----|---|---------|---------------|--|
| Other | LSF | Ew | Ecx | Ec | E . | TCC | 93 | Cu | A | Unknown | Description | Underground cables (LV network diagram view) |

NetMAP system Joints (LV network diagram view) 3 phase termination Pot end or Sicame Box Crutch joint Straight joint Description

Substations/pole transformers (LV network diagram view)

There are many substation combinations — these are merely a sample of configurations that can be found. NetMAP system Description

4 way substation 2 way substation

4 way twin busbar substation

10 way back to back substation











Pole transformer 2 way


Pole transformer (normal)


Pole transformer 3 way





Substation with rating, name,










Section pole

Overhead fuse

section continued on next page

Substations/pole transformers cont'd (LV network diagram view) NetMAP system



Description

Overview — the purple lines through the section pales are pale links — these indicate how the network is linked together

- 2 way link box
- way link box
- 4 way link box
- 4 way double busbar link box

田田

- 4 way BICC link box
- way link box

 σ

way link box

O

 \boxtimes

way double busbar link box

 \circ

a cable with an open point identification number, connected to A two way link box with

ENLARCEMENT: open point

TM1215 632

as examples a 9 way and a 2 way are shown 2 ways through to 9 ways -Feeder pillars — these range from